COMBAT LIFESAVER

Proponent For Inspection: MEDDAC

Point of Contact:_____

Unit Inspected:_____

Date of Inspection:_____

Unit Representative:_____

Unit Phone No.:_____

Inspector's Name:_____

Inspector's Phone No.:_____

Unit Overall Rating: T P U

REFERENCES: a. AR 350-41, Mar 93, Training in Units b. AR 40-61, Jan 95, Medical Logistic Policy and Procedures
c. DA PAM 350-59, Oct 01, US Army Correspondence Course Program Catalog
d. USAMMA Unit Assemblage list for 0245 MES Combat Lifesaver Bag

STANDARDS: "T"= 90% success rate of evaluated tasks with no failed critical tasks. "P"= 70% success rate of evaluated tasks with no failed critical tasks. "U"= less than 70% success rate of evaluated tasks or one failed critical task.

INSPECTION CRITERIA:	**LEVEL**	**GO**	**NO GO**	**REMARKS**
1. **CRITICAL:** Does the unit employ the recommended number of Combat Lifesavers (Minimum of 1 per squad, team or crew)? (AR 350-41, Chapter 12)	CO			
2. **CRITICAL:** Are all assigned Combat Lifesaver personnel currently certified? (AR 350-41, Chapter 12)	CO			
3. Are individuals failing to attend scheduled Combat Lifesaver courses identified? (AR 350-41, Chapter 12)	CO			
4. Does the unit include screening for Combat Lifesaver certification as part of the in-processing checklist?	CO			
5. **CRITICAL:** Does the unit maintain at least one aid bag per Combat Lifesaver? (AR 350-41, Chapter 12)	CO			
6. Is the packing list maintained in each bag?	CO			
7. **CRITICAL:** Is the bag inventoried and restocked with durable and expendable items after each use? (AR 350-41, Chapter 12)	CO			
8. Are aid bags stored in a standardized, climate-controlled environment (IAW Manufacturers recommendations: 25 degrees Celsius)?	CO			
REMARKS and FINAL COMMENTS:				