



DEPARTMENT OF THE ARMY
INSTALLATION MANAGEMENT COMMAND
HEADQUARTERS, UNITED STATES ARMY GARRISON, FORT LEONARD WOOD
320 MANSCEN LOOP, SUITE 120
FORT LEONARD WOOD, MO 65473-8929

REPLY TO
ATTENTION OF

DEC 23 2009

IMNE-LNW-PWE

MEMORANDUM THRU Installation Management Command Northeast Region (IMNE-ZA), 5A
North Gate Road, Fort Monroe, Virginia 23651-1048

FOR Commander, Installation Management Command (IMAE-CO), 5179 Hoadley Road,
Aberdeen Proving Ground, Maryland 21010-5401

SUBJECT: Declaration of Conformance to Environmental Management System Requirements
in Executive Order (EO) 13423 Based on External Audit Results.

1. References:

- a. AR 200-1, Environmental Protection and Enhancement, dated 13 Dec 07.
- b. Executive Order 13423, Strengthening Federal Environmental, Energy, and
Transportation Management, dated 26 Jan 07.
- c. Environmental Management System Audit, Final Report, Fort Leonard Wood, Missouri,
dated 16 September 2009

2. Fort Leonard Wood has fully implemented an Environmental Management System (EMS) that conforms to Army policy and EMS requirements in Executive Order 13423. As required by AR 200-1, our EMS is mission-enhancing, conforms to the ISO 14001 Standard, and is installation-wide in scope. As required by EO 13423, we have had a formal audit of our EMS, conducted by qualified auditors from outside the installation. The audit was conducted by U.S. Army Environmental Command during the Environmental Performance Assessment System (EPAS) on 03-07 August 2009. We have corrected all major nonconformances and addressed all minor non-conformances in a corrective action plan that has my approval and commitment for resolution.

3. Based on the above, Fort Leonard Wood formally declares that our EMS is fully implemented in accordance with EO 13423 and Army policy.

4. Point of contact for this action is Mr. Mark Lenox, IMNE-LNW-PWE, (573) 596-0882, mark.lenox@us.army.mil.


CHARLES A. WILLIAMS
COL, MP
Commanding